

Kam



1600

RAW SEQUENCE LISTING

DATE: 03/10/2003

PATENT APPLICATION: US/09/810,601B

TIME: 11:59:00

Input Set : A:\D2947CIP Sequence 030220.txt

Output Set: N:\CRF4\03102003\I810601B.raw

3 <110> APPLICANT: Allergan Sales, Inc.
 4 Donovan, Stephen
 6 <120> TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR TREATING GONADOTROPHIN RELATED
 ILLNESSES

8 <130> FILE REFERENCE: D-2947-CIP
 10 <140> CURRENT APPLICATION NUMBER: 09/810,601B
 11 <141> CURRENT FILING DATE: 2001-03-15
 13 <150> PRIOR APPLICATION NUMBER: 09/692,811
 14 <151> PRIOR FILING DATE: 2000-10-20
 16 <160> NUMBER OF SEQ ID NOS: 52
 18 <170> SOFTWARE: PatentIn version 3.1
 20 <210> SEQ ID NO: 1
 21 <211> LENGTH: 10
 22 <212> TYPE: PRT
 23 <213> ORGANISM: Homo sapiens
 25 <220> FEATURE:
 26 <221> NAME/KEY: MISC_FEATURE
 27 <222> LOCATION: (1)..(1)
 28 <223> OTHER INFORMATION: Xaa at position 1 is PyroGlu

ENTERED

OK 31 <400> SEQUENCE: 1
 OK 33 Xaa His Trp Ser Tyr Gly Leu Arg Pro Gly
 34 1 5 10
 37 <210> SEQ ID NO: 2
 38 <211> LENGTH: 10
 39 <212> TYPE: PRT
 40 <213> ORGANISM: Artificial Sequence
 42 <220> FEATURE:
 43 <223> OTHER INFORMATION: Gonadotrophin Release Hormone Analogue
 45 <220> FEATURE:
 46 <221> NAME/KEY: MISC_FEATURE
 47 <222> LOCATION: (1)..(1)
 48 <223> OTHER INFORMATION: Xaa at position 1 is PyroGlu
 51 <220> FEATURE:
 52 <221> NAME/KEY: MISC_FEATURE
 53 <222> LOCATION: (10)..(10)
 54 <223> OTHER INFORMATION: Xaa at position 10 is Gly-NH2
 57 <400> SEQUENCE: 2
 OK 59 Xaa His Trp Ser Tyr Gly Leu Arg Pro Xaa
 60 1 5 10
 63 <210> SEQ ID NO: 3
 64 <211> LENGTH: 9
 65 <212> TYPE: PRT
 66 <213> ORGANISM: Artificial Sequence
 68 <220> FEATURE:

RAW SEQUENCE LISTING

DATE: 03/10/2003

PATENT APPLICATION: US/09/810,601B

TIME: 11:59:00

Input Set : A:\D2947CIP Sequence 030220.txt

Output Set: N:\CRF4\03102003\I810601B.raw

69 <223> OTHER INFORMATION: Gonadotrophin Release Hormone Analogue
71 <220> FEATURE:
72 <221> NAME/KEY: MISC_FEATURE
73 <222> LOCATION: (1)..(1)
74 <223> OTHER INFORMATION: Xaa at position 1 is PyroGlu
77 <220> FEATURE:
78 <221> NAME/KEY: MISC_FEATURE
79 <222> LOCATION: (9)..(9)
80 <223> OTHER INFORMATION: Xaa at position 9 is proline-ethylamide
83 <400> SEQUENCE: 3
OK-> 85 Xaa His Trp Ser Tyr Gly Leu Arg Xaa OK
86 1 5
89 <210> SEQ ID NO: 4
90 <211> LENGTH: 10
91 <212> TYPE: PRT
92 <213> ORGANISM: Artificial Sequence
94 <220> FEATURE:
95 <223> OTHER INFORMATION: Gonadotrophin Release Hormone Analogue
97 <220> FEATURE:
98 <221> NAME/KEY: MISC_FEATURE
99 <222> LOCATION: (1)..(1)
100 <223> OTHER INFORMATION: Xaa at position 1 is PyroGlu
103 <220> FEATURE:
104 <221> NAME/KEY: MISC_FEATURE
105 <222> LOCATION: (10)..(10)
106 <223> OTHER INFORMATION: Xaa at position 10 is Aza-Gly-NH2
OK 109 <400> SEQUENCE: 4
111 Xaa His Trp Ser Tyr Gly Leu Arg Pro Xaa
112 1 5 10
115 <210> SEQ ID NO: 5
116 <211> LENGTH: 10
117 <212> TYPE: PRT
118 <213> ORGANISM: Artificial Sequence
120 <220> FEATURE:
121 <223> OTHER INFORMATION: Gonadotrophin Release Hormone Analogue
123 <220> FEATURE:
124 <221> NAME/KEY: MISC_FEATURE
125 <222> LOCATION: (1)..(1)
126 <223> OTHER INFORMATION: Xaa at position 1 is PyroGlu
129 <220> FEATURE:
130 <221> NAME/KEY: MISC_FEATURE
131 <222> LOCATION: (10)..(10)
132 <223> OTHER INFORMATION: Xaa at position 10 is Gly-NH2
OK 135 <400> SEQUENCE: 5
OK-> 137 Xaa His Trp Ser Tyr Lys Leu Arg Pro Xaa
138 1 5 10
141 <210> SEQ ID NO: 6
142 <211> LENGTH: 9
143 <212> TYPE: PRT

RAW SEQUENCE LISTING

DATE: 03/10/2003

PATENT APPLICATION: US/09/810,601B

TIME: 11:59:00

Input Set : A:\D2947CIP Sequence 030220.txt

Output Set: N:\CRF4\03102003\I810601B.raw

```

144 <213> ORGANISM: Artificial Sequence
146 <220> FEATURE:
147 <223> OTHER INFORMATION: Gonadotrophin Release Hormone Analogue
149 <220> FEATURE:
150 <221> NAME/KEY: MISC_FEATURE
151 <222> LOCATION: (1)..(1)
152 <223> OTHER INFORMATION: Xaa at position 1 is PyroGlu
155 <220> FEATURE:
156 <221> NAME/KEY: MISC_FEATURE
157 <222> LOCATION: (9)..(9)
158 <223> OTHER INFORMATION: Xaa at position 9 is proline-ethylamide
161 <400> SEQUENCE: 6
W--> 163 Xaa His Trp Ser Tyr Lys Leu Arg Xaa
164 1 5
167 <210> SEQ ID NO: 7
168 <211> LENGTH: 10
169 <212> TYPE: PRT
170 <213> ORGANISM: Artificial Sequence
172 <220> FEATURE:
173 <223> OTHER INFORMATION: Gonadotrophin Release Hormone Analogue
175 <220> FEATURE:
176 <221> NAME/KEY: MISC_FEATURE
177 <222> LOCATION: (1)..(1)
178 <223> OTHER INFORMATION: Xaa at position 1 is PyroGlu
181 <220> FEATURE:
182 <221> NAME/KEY: MISC_FEATURE
183 <222> LOCATION: (10)..(10)
184 <223> OTHER INFORMATION: Xaa at position 10 is Aza-Gly-NH2
187 <400> SEQUENCE: 7
W--> 189 Xaa His Trp Ser Tyr Lys Leu Arg Pro Xaa
190 1 5 10
193 <210> SEQ ID NO: 8
194 <211> LENGTH: 10
195 <212> TYPE: PRT
196 <213> ORGANISM: Artificial Sequence
198 <220> FEATURE:
199 <223> OTHER INFORMATION: Gonadotrophin Release Hormone Analogue
201 <220> FEATURE:
202 <221> NAME/KEY: MISC_FEATURE
203 <222> LOCATION: (1)..(1)
204 <223> OTHER INFORMATION: Xaa at position 1 is PyroGlu
207 <220> FEATURE:
208 <221> NAME/KEY: MISC_FEATURE
209 <222> LOCATION: (6)..(6)
210 <223> OTHER INFORMATION: Xaa at position 6 is D-Lys
213 <220> FEATURE:
214 <221> NAME/KEY: MISC_FEATURE
215 <222> LOCATION: (10)..(10)
216 <223> OTHER INFORMATION: Xaa at position 10 is Gly-NH2

```

RAW SEQUENCE LISTING

DATE: 03/10/2003

PATENT APPLICATION: US/09/810,601B

TIME: 11:59:00

Input Set : A:\D2947CIP Sequence 030220.txt

Output Set: N:\CRF4\03102003\I810601B.raw

219 <400> SEQUENCE: 8
 221 **Xaa His Trp Ser Tyr Xaa Leu Arg Pro Xaa**
 222 1 5 10
 225 <210> SEQ ID NO: 9
 226 <211> LENGTH: 9
 227 <212> TYPE: PRT
 228 <213> ORGANISM: Artificial Sequence
 230 <220> FEATURE:
 231 <223> OTHER INFORMATION: Gonadotrophin Release Hormone Analogue
 233 <220> FEATURE:
 234 <221> NAME/KEY: MISC_FEATURE
 235 <222> LOCATION: (1)..(1)
 236 <223> OTHER INFORMATION: Xaa at position 1 is PyroGlu
 239 <220> FEATURE:
 240 <221> NAME/KEY: MISC_FEATURE
 241 <222> LOCATION: (6)..(6)
 242 <223> OTHER INFORMATION: Xaa at position 6 is D-Lys
 245 <220> FEATURE:
 246 <221> NAME/KEY: MISC_FEATURE
 247 <222> LOCATION: (9)..(9)
 248 <223> OTHER INFORMATION: Xaa at position 9 is proline-ethylamide
 251 <400> SEQUENCE: 9
 253 **Xaa His Trp Ser Tyr Xaa Leu Arg Xaa**
 254 1 5
 257 <210> SEQ ID NO: 10
 258 <211> LENGTH: 10
 259 <212> TYPE: PRT
 260 <213> ORGANISM: Artificial Sequence
 262 <220> FEATURE:
 263 <223> OTHER INFORMATION: Gonadotrophin Release Hormone Analogue
 265 <220> FEATURE:
 266 <221> NAME/KEY: MISC_FEATURE
 267 <222> LOCATION: (1)..(1)
 268 <223> OTHER INFORMATION: Xaa at position 1 is PyroGlu
 271 <220> FEATURE:
 272 <221> NAME/KEY: MISC_FEATURE
 273 <222> LOCATION: (6)..(6)
 274 <223> OTHER INFORMATION: Xaa at position 6 is D-Lys
 277 <220> FEATURE:
 278 <221> NAME/KEY: MISC_FEATURE
 279 <222> LOCATION: (10)..(10)
 280 <223> OTHER INFORMATION: Xaa at position 10 is Aza-Gly-NH2
 283 <400> SEQUENCE: 10
 285 **Xaa His Trp Ser Tyr Xaa Leu Arg Pro Xaa**
 286 1 5 10
 289 <210> SEQ ID NO: 11
 290 <211> LENGTH: 10
 291 <212> TYPE: PRT
 292 <213> ORGANISM: Artificial Sequence

RAW SEQUENCE LISTING

DATE: 03/10/2003

PATENT APPLICATION: US/09/810,601B

TIME: 11:59:00

Input Set : A:\D2947CIP Sequence 030220.txt

Output Set: N:\CRF4\03102003\I810601B.raw

294 <220> FEATURE:
 295 <223> OTHER INFORMATION: Gonadotrophin Release Hormone Analogue
 297 <220> FEATURE:
 298 <221> NAME/KEY: MISC_FEATURE
 299 <222> LOCATION: (1)..(1)
 300 <223> OTHER INFORMATION: Xaa at position 1 is PyroGlu
 303 <220> FEATURE:
 304 <221> NAME/KEY: MISC_FEATURE
 305 <222> LOCATION: (6)..(6)
 306 <223> OTHER INFORMATION: Xaa at position 6 is Ornithine
 309 <220> FEATURE:
 310 <221> NAME/KEY: MISC_FEATURE
 311 <222> LOCATION: (10)..(10)
 312 <223> OTHER INFORMATION: Xaa at position 10 is Gly-NH2
 315 <400> SEQUENCE: 11
 317 Xaa His Trp Ser Tyr Xaa Leu Arg Pro Xaa
 318 1 5 10
 321 <210> SEQ ID NO: 12
 322 <211> LENGTH: 9
 323 <212> TYPE: PRT
 324 <213> ORGANISM: Artificial Sequence
 326 <220> FEATURE:
 327 <223> OTHER INFORMATION: Gonadotrophin Release Hormone Analogue
 329 <220> FEATURE:
 330 <221> NAME/KEY: MISC_FEATURE
 331 <222> LOCATION: (1)..(1)
 332 <223> OTHER INFORMATION: Xaa at position 1 is PyroGlu
 335 <220> FEATURE:
 336 <221> NAME/KEY: MISC_FEATURE
 337 <222> LOCATION: (6)..(6)
 338 <223> OTHER INFORMATION: Xaa at position 6 is Ornithine
 341 <220> FEATURE:
 342 <221> NAME/KEY: MISC_FEATURE
 343 <222> LOCATION: (9)..(9)
 344 <223> OTHER INFORMATION: Xaa at position 9 is proline-ethylamide
 347 <400> SEQUENCE: 12
 349 Xaa His Trp Ser Tyr Xaa Leu Arg Xaa
 350 1 5
 353 <210> SEQ ID NO: 13
 354 <211> LENGTH: 10
 355 <212> TYPE: PRT
 356 <213> ORGANISM: Artificial Sequence
 358 <220> FEATURE:
 359 <223> OTHER INFORMATION: Gonadotrophin Release Hormone Analogue
 361 <220> FEATURE:
 362 <221> NAME/KEY: MISC_FEATURE
 363 <222> LOCATION: (1)..(1)
 364 <223> OTHER INFORMATION: Xaa at position 1 is PyroGlu
 367 <220> FEATURE:

RAW SEQUENCE LISTING ERROR SUMMARY
 PATENT APPLICATION: US/09/810,601B

DATE: 03/10/2003
 TIME: 11:59:01

Input Set : A:\D2947CIP Sequence 030220.txt
 Output Set: N:\CRF4\03102003\I810601B.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; Xaa Pos. 1
 Seq#:2; Xaa Pos. 1,10
 Seq#:3; Xaa Pos. 1,9
 Seq#:4; Xaa Pos. 1,10
 Seq#:5; Xaa Pos. 1,10
 Seq#:6; Xaa Pos. 1,9
 Seq#:7; Xaa Pos. 1,10
 Seq#:8; Xaa Pos. 1,6,10
 Seq#:9; Xaa Pos. 1,6,9
 Seq#:10; Xaa Pos. 1,6,10
 Seq#:11; Xaa Pos. 1,6,10
 Seq#:12; Xaa Pos. 1,6,9
 Seq#:13; Xaa Pos. 1,6,10
 Seq#:14; Xaa Pos. 1,6,10
 Seq#:15; Xaa Pos. 1,6,9
 Seq#:16; Xaa Pos. 1,6,10
 Seq#:17; Xaa Pos. 1,10
 Seq#:18; Xaa Pos. 1,9
 Seq#:19; Xaa Pos. 1,10
 Seq#:20; Xaa Pos. 1,6,10
 Seq#:21; Xaa Pos. 1,6,9
 Seq#:22; Xaa Pos. 1,6,10
 Seq#:23; Xaa Pos. 1,10
 Seq#:24; Xaa Pos. 1,9
 Seq#:25; Xaa Pos. 1,10
 Seq#:26; Xaa Pos. 1,6,10
 Seq#:27; Xaa Pos. 1,6,9
 Seq#:28; Xaa Pos. 1,6,10
 Seq#:29; Xaa Pos. 1,10
 Seq#:30; Xaa Pos. 1,9
 Seq#:31; Xaa Pos. 1,10
 Seq#:32; Xaa Pos. 1,6,10
 Seq#:33; Xaa Pos. 1,6,9
 Seq#:34; Xaa Pos. 1,6,10
 Seq#:35; Xaa Pos. 1,10
 Seq#:36; Xaa Pos. 1,9
 Seq#:37; Xaa Pos. 1,10
 Seq#:38; Xaa Pos. 1,6,10
 Seq#:39; Xaa Pos. 1,6,9
 Seq#:40; Xaa Pos. 1,6,10
 Seq#:46; Xaa Pos. 1,6,9
 Seq#:51; Xaa Pos. 2,3,5

VERIFICATION SUMMARY

DATE: 03/10/2003

PATENT APPLICATION: US/09/810,601B

TIME: 11:59:01

Input Set : A:\D2947CIP Sequence 030220.txt

Output Set: N:\CRF4\03102003\I810601B.raw

L:33 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
L:59 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0
L:85 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
L:111 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0
L:137 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
L:163 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0
L:189 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0
L:221 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0
L:253 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:0
L:285 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:0
L:317 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11 after pos.:0
L:349 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12 after pos.:0
L:381 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13 after pos.:0
L:413 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14 after pos.:0
L:445 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15 after pos.:0
L:477 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:0
L:503 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:0
L:529 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18 after pos.:0
L:555 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19 after pos.:0
L:587 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:20 after pos.:0
L:619 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 after pos.:0
L:651 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 after pos.:0
L:677 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23 after pos.:0
L:703 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24 after pos.:0
L:729 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:25 after pos.:0
L:761 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:0
L:793 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:27 after pos.:0
L:825 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:0
L:851 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:29 after pos.:0
L:877 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30 after pos.:0
L:903 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:31 after pos.:0
L:935 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:32 after pos.:0
L:967 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:33 after pos.:0
L:999 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34 after pos.:0
L:1025 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:35 after pos.:0
L:1051 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:36 after pos.:0
L:1077 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:37 after pos.:0
L:1109 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:38 after pos.:0
L:1141 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:39 after pos.:0
L:1173 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:40 after pos.:0
L:1275 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:46 after pos.:0
L:1369 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:51 after pos.:0